Lubricants

edmac

PART OF YOUR BUSINESS

Edmac Europe offers superior quality replacement lubricant, oil and coolant for all major OEM compressor brands.
Our lubricants have been tested under extreme climate conditions and are pressure and temperature resistant while providing excellent rust and corrosion protection.

SCS

COMPRESSOR SPARES & FILTRATION

Key Features & Benefits

Fast clear air release

lowers the risk of cavitation, protecting the bearings with minimal oil residue

Good oxidation stability

gives our oils excellent viscosity control so that we can guarantee a lower oil consumption

Enhanced base oil

with antioxidants, corrosion inhibitors, anti-foam agents, demulsifying agents and additives to equal OEM performance

Less downtimes

due to low-oil alarms or failure to start because of the foaming protection our oil provides

Controlled energy costs

because our superior performance will extend oil drain intervals and reduce oil consumption

Improve efficiency

our high-quality lubricants increase compressor stability, reducing unscheduled stops stops

Prolong equipment life

because our long-lasting, non-foaming, quality oil will help combat the effects of high temperatures, moisture and contaminants

Naming

Torque Elect+ 400 ISO 46

Viscosity grade (46, 68, 100, 150)

Typical running hours X 10

Product classification

Elect+: Mineral with high level additives mix
Excellent: Synthetic lubricants
Foodgrade: NSF certified for food applications
Oil-free Select: Gearbox oil for oil-free compressors
Coolant: Polyglycol based lubricant
Gold: Centrifugal oil

Compressor Technology

Torque: Screw compressor
Dynamo: Vane & Piston compressor
Blade: Centrifugal compressor

Edmac Europe replacement OEM lubricants

Technology	Lubricant Type	Lifetime	Viscosity	Edmac Product	Edmac Partnumber	Packaging	INGERSOLL RAND	COMPAIR / BROOM-WADE	KAESER	BOGE	ALMIG	GARDNER DENVER	HYDRO-VANE	MATTEI	RENNER
Screw	Mineral	4000 hours / 1 year	ISO 46	Torque Elect+	3004010008 3004010009 3004010010	**5L** **20L** **209L**		Fluid Force 4000 / SCWO4000 / SCUO2000	MOL SIGMA FLUID / M-460	3000 PLUS / 3000 HTPLUS		AEON 2000 / AEON 4000			VDLIS46
	Synthetic	8000 hours / 2 years	ISO 46	Torque Excellent	3004010017 3004010018 3004010019	**5L** **20L** **209L**			S-460	SYPREM 8000 S	Almig Blue S+ / Almig Syn S	AEON 8000			
	Synthetic	8000 hours / 2 years	ISO 68	Torque Excellent	3004010021 3004010022	**20L** **209L**		CS-200	S-680			AEON 9000 SP	FluidForce HPO (high performance)		
	Polyglycol based	8000 hours / 2 years	ISO 46	Torque Excellent Coolant	3004002652 3004010028 3004010029	**5L** **20L** **209L**	SSR Ultra Coolant								
	Foodgrade	4000 hours / 1 year	ISO 46	Torque Foodgrade	3004002751 3004010023	**5L** **20L**	SSR H-1 / Ultra FG	SCFG-4000	FG-460	FoodLub-H1	Geralyn SF46	AEON 6000 FG			
	Oil-Free Gearbox	1000 hours	ISO 68	Torque Oil Free Select	3004010024	**20L**		D-Models							
Piston & Vane	Mineral	1000 hours	ISO 100	Dynamo Elect	3004052896 3004010001	**1L** **5L**	T-30		M-100		Almig Blue P				
	Mineral	1000 hours	ISO 150	Dynamo Elect	3004010005 3004010006 3004010007	**5L** **20L** **209L**		CN-300	M-150	VDL 150			FluidForce Red 2000 / VAWO2000	ROTOROIL 8000 M1 MATT	
	Synthetic	2000 hours	ISO 100	Dynamo Excellent	3004010003 3004010004	**1L** **20L**	T-30 Select / All season select / XL-700	CS-300	S-100	SYPREM 8000 K	Almig Syn P		CS-300	ROTOROIL 8000 F2 MATT	
Centrifugal	Centrifugal oil	24000 hours / 3 years	ISO 32	Blade Excellent Gold	3004010030 3004010031	**20L** **209L**	Techtrol Gold								

Proudly distributed in Australia by

SCS

COMPRESSOR SPARES & FILTRATION

www.scsfiltration.com.au

1300 665 258

sales@scsfiltration.com.au

16-18 Lindon Court, Tullamarine
VIC 3043